

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**Mintex Brake Fluid DOT 4LV**

Revision date: 03/01/2024

Page 1 of 9

**1. Identification****Product identifier**


Mintex Brake Fluid DOT 4LV

**Product code:**

MBFESP4-1000B

**Recommended use of the chemical and restrictions on use****Use of the substance/mixture**Hydraulic (functional) fluids  
PC-TEC-8: Hydraulic fluids, including brake and transmission fluids**Details of the supplier of the safety data sheet**

Company name:	TMD Friction Services GmbH	
Street:	Schlebuscher Str. 99	
Place:	D-51381 Leverkusen	
Telephone:	+49 (2171)703-0	
E-mail:	serviceline@tmdfriction.com	
Contact person:	Hr. Beier	Telephone: +49 (2171)9113-7373
E-mail:	serviceline@tmdfriction.com	
Internet:	www.tmdfriction.com	

**Emergency phone number:** GIZ Bonn: +49 (0)228-19240 (24/7)**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**Serious eye damage/eye irritation: Eye Irrit. 2A  
Reproductive toxicity: Repr. 2**Label elements****29 CFR Part 1910.1200****Signal word:** Warning**Pictograms:****Hazard statements**Causes serious eye irritation  
Suspected of damaging fertility or the unborn child**Precautionary statements**If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Do not handle until all safety precautions have been read and understood.  
Wash hands thoroughly after handling.  
Wear protective gloves and eye/face protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
If exposed or concerned: Get medical advice/attention.  
Store locked up.  
Dispose of waste according to applicable legislation.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### Mintex Brake Fluid DOT 4LV

Revision date: 03/01/2024

Page 2 of 9

#### Hazards not otherwise classified

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
This material is combustible, but will not ignite readily.

### 3. Composition/information on ingredients

#### Mixtures

##### Relevant ingredients

CAS No	Components	Quantity
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	80 - 95 %
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol	10 - 15 %
1559-34-8	3,6,9,12-tetraoxahexadecan-1-ol	1 - 3 %
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	< 1 %

#### Further Information

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

#### Description of first aid measures

##### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

##### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

##### After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. In case of skin reactions, consult a physician.

Clean with detergents. Avoid solvent cleaners.

##### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

##### After ingestion

Rinse mouth immediately and drink plenty of water. Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Immediately call a doctor.

Following ingestion large scale (Manufacturer): Immediately call a doctor. Alcohol (40 %) 90 - 120 mL (2 mg/kg bw)

#### Most important symptoms and effects, both acute and delayed

No information available.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

##### Suitable extinguishing media

Water mist, alcohol resistant foam, Dry extinguishing powder, Carbon dioxide (CO<sub>2</sub>).  
Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

Full water jet

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### Mintex Brake Fluid DOT 4LV

Revision date: 03/01/2024

Page 3 of 9

#### **Specific hazards arising from the chemical**

This material is combustible, but will not ignite readily.

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Pyrolysis products, toxic.

#### **Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus. Full protection suit

#### **Additional information**

Suppress gases/vapors/mists with water spray jet. Use water spray/stream to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### 6. Accidental release measures

#### **Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Provide adequate ventilation. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

##### **For non-emergency personnel**

Use personal protection equipment.

##### **For emergency responders**

Wear personal protection equipment (refer to section 8).

#### **Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### **Methods and material for containment and cleaning up**

##### **For containment**

Stop leak if safe to do so. Cover drains.

##### **For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Clean with detergents. Avoid solvent cleaners.

##### **Other information**

Clean contaminated articles and floor according to the environmental legislation.

#### **Reference to other sections**

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

### 7. Handling and storage

#### **Precautions for safe handling**

##### **Advice on safe handling**

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe gas/vapor/spray. Wear personal protection equipment.

##### **Advice on protection against fire and explosion**

Usual measures for fire prevention.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### **Conditions for safe storage, including any incompatibilities**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**Mintex Brake Fluid DOT 4LV**

Revision date: 03/01/2024

Page 4 of 9

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations.

**Hints on joint storage**

Do not store together with: Acid, alkali (Base), Oxidising agent, Reducing agent.

**Further information on storage conditions**

Keep away from heat.

storage temperature: 15 - 30 °C

**8. Exposure controls/personal protection****Control parameters****Exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
112-34-5	Diethylene glycol monobutyl ether (inhalable fraction and vapor)	10			TWA (8 h)	ACGIH-2023

**Exposure controls****Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear eye/face protection. Eye glasses with side protection

**Hand protection**

Wear suitable gloves.

penetration time (maximum wearing period): > 480 min.

Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of glove material: 0,3 mm

Suitable material: NBR (Nitrile rubber)

Thickness of glove material: 0,2 mm

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Use of protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Thermal hazards**

No information available.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**Mintex Brake Fluid DOT 4LV**

Revision date: 03/01/2024

Page 5 of 9

**9. Physical and chemical properties****Information on basic physical and chemical properties**

Physical state:	Liquid
Color:	amber
Odor:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	< -50 °C
Boiling point or initial boiling point and boiling range:	> 260 °C
Flammability:	This material is combustible, but will not ignite readily.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 120 °C
Auto-ignition temperature:	> 280 °C
Decomposition temperature:	300 °C
pH-Value:	7 - 10,5
Viscosity / kinematic: (at 20 °C)	5 - 10 mm <sup>2</sup> /s
Water solubility:	easily soluble
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	1,5
Vapor pressure: (at 20 °C)	1,0 hPa
Density:	1,02 - 1,07 g/cm <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	not applicable

**Other information****Other safety characteristics**

Evaporation rate: (n-Butyl acetate=100) 0,01

**Further Information**

No information available.

**10. Stability and reactivity****Reactivity**

No hazardous reaction when handled and stored according to provisions.

**Chemical stability**

Stability: Stable

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Hazardous reactions: Will not occur

No hazardous reaction when handled and stored according to provisions.

**Conditions to avoid**

Keep away from heat.

**Incompatible materials**

Acid, alkali (Base), Oxidising agent, Reducing agent.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### Mintex Brake Fluid DOT 4LV

Revision date: 03/01/2024

Page 6 of 9

#### Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Pyrolysis products, toxic.

### 11. Toxicological information

#### Route(s) of Entry

oral, Skin contact, Eye contact, Inhalation.

#### Information on toxicological effects

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

Absorption large scale (Manufacturer): May cause damage to organs. (kidneys)

##### **ATEmix tested**

	Dose	Species	Source
LD50, oral	> 5000 mg/kg	Rat	Manufacturer
LD50, dermal	> 3000 mg/kg	Rabbit	Manufacturer

##### **ATEmix calculated**

ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

##### **Irritation and corrosivity**

Causes serious eye irritation

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

##### **Sensitizing effects**

Based on available data, the classification criteria are not met.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of damaging fertility or the unborn child (Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

##### **Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

##### **Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Information on other hazards

##### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

##### **Other information**

Absorption large scale (Manufacturer)

The following symptoms may occur: Depression of central nervous system, Gastrointestinal complaints, Headache, Nausea.

### 12. Ecological information

#### Ecotoxicity

The product is not: Ecotoxic.

#### Persistence and degradability

Product is biodegradable. (OECD 302B)

#### Bioaccumulative potential

Based on the n-octanol/water partition coefficient accumulation in organisms is not expected. ( $\leq 2$ )

#### Mobility in soil

Soluble in: Water. If product enters soil, it will be mobile and may contaminate groundwater.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**Mintex Brake Fluid DOT 4LV**

Revision date: 03/01/2024

Page 7 of 9

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**14. Transport information****U.S. DOT 49 CFR 172.101****Proper shipping name:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)****UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)****UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Special precautions for user**

No information available.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

**15. Regulatory information****U.S. Regulations****National Inventory TSCA**

All ingredients of the mixture are public/active listed or exempted.

Observe in addition any national regulations!

**National regulatory information**

SARA Section 311/312 Hazards:

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol (143-22-6): Immediate (acute) health hazard

3,6,9,12-tetraoxahexadecan-1-ol (1559-34-8): Immediate (acute) health hazard

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5): Immediate (acute) health hazard

**State Regulations**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**Mintex Brake Fluid DOT 4LV**

Revision date: 03/01/2024

Page 8 of 9

**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.


Observe in addition any national regulations!

**16. Other information****Hazardous Materials Identification System (HMIS)**

Health: \*2  
Flammability: 0  
Physical Hazard: 0

**NFPA Hazard Ratings**

Health: 0  
Flammability: 0  
Reactivity: 0  
Unique Hazard:

**Changes**

Revision date: 03/01/2024  
Revision No: 1,1

This data sheet contains changes from the previous version in section(s): 2.



## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### Mintex Brake Fluid DOT 4LV

Revision date: 03/01/2024

Page 9 of 9

#### Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists  
CFR: Code of Federal Regulations  
DOT: Department of Transportation  
ICAO: International Civil Aviation Organization  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IARC: International Agency for Research on Cancer  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
CAS: Chemical Abstracts Service  
NFPA: National Fire Protection Association  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PEL: permissible exposure limit  
REL: recommended exposure limit  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short-term exposure limit  
TSCA: Toxic Substances Control Act  
TWA: time-weighted average  
TI: Technical Instructions  
DGR: Dangerous Goods Regulations  
UN: United Nations  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds

#### Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*